

Integumentary initial assessment days (left) and nights (right)

Skin warm, dry and intact. Good skin turgor. Skin color appropriate for race. WNL ____ Day shift
 WNL ____ Night shift

Abnormality	Size/site	Abnormality	Size/site
Color	Turgor	Color	Turgor

Temperature of extremities: RUE: LUE: LLE: RLE: Temperature of extremities: RUE: LUE: LLE: RLE:
 hypo/hyperthermia unit set point hypo/hyperthermia unit set point
 TED hose and SCDs removed every shift TED hose and SCDs removed every shift
 Skin protection devices used Skin protection devices used

Complete skin risk assessment every day.

Definitions: Perception: Ability to respond to painful stimulation. Moisture: degree to which skin is exposed to moisture and a linen change is needed. Activity: Degree of physical activity. Mobility: Ability to change position. Nutrition: Usual food intake pattern. Friction: Amount of sliding on sheets.

Perception	Moisture	Activity	Mobility	Nutrition	Friction
1 - None	1 - Very Wet	1 - None	1 - None	1 - Very poor	1 - Problem
2 - Limited	2 - Moist	2 - Can sit	2 - Limited	2 - Poor	2 - Potential problem
3 - Reduced	3 - Sometimes	3 - Can walk	3 - Reduced	3 - Ok	3 - No problem
4 - Not Impaired	4 - Rarely	4 - Fully active	4 - Fully mobile	4 - Excellent	

Circle one number in each column. Total Score: ____ /23

Pressure ulcer flowsheet is updated every Thursday.

Any dressing, if present is dry and intact. If no dressing surgical incision is dry and intact with wound edges well approximated; no redness, swelling, odor, or drainage at incision site. WNL ____ Day shift
 WNL ____ Night shift

Wound Type	Location	Dressing Condition		Site Condition		Site Care	
		Day	Night	Day	Night	Day	Night

Wound V.A.C. Target pressure Cycle Time next change due

Otolaryngeal initial assessment days (left) and nights (right)

Denies problem with vision. Sclera is white. No drainage from eyes, ears, and/or nose. Denies dizziness. Oral mucosa is pink and moist. Teeth are present. No swallowing and/or chewing difficulties. WNL ____ Day shift
 WNL ____ Night shift

Eyes	Ears	Eyes	Ears
Nose	Mouth	Nose	Mouth
Swallowing/chewing difficulty		Swallowing/chewing difficulty	

Oral care twice a day. Oral care on an intubated patient every two hours.

Psychological initial assessment days (left) and nights (right).

Cooperative, with affect appropriate to situation. WNL ____ Day shift WNL ____ Night shift

Emotional	Emotional
-----------	-----------

When on a neuromuscular blocker, assess anxiety, pain and neurological status every 24 hours.

Behavioral	Behavioral
------------	------------